



Newly benchmarked measures — Full (all 10 deciles)

| Measure ID | Measure title | Collection type |
|-----------------------|--|-----------------|
| 400 | One-Time Screening for Hepatitis C Virus (HCV) and Treatment Initiation | MIPS CQM |
| 438 | Statin Therapy for the Prevention and Treatment of Cardiovascular Disease | MIPS CQM |
| 470 | Functional Status After Primary Total Knee Replacement | MIPS CQM |
| 485 | Psoriasis- Improvement in Patient-Reported Itch Severity | MIPS CQM |
| 486 | Dermatitis – Improvement in Patient-Reported Itch Severity | MIPS CQM |
| 488 | Kidney Health Evaluation | MIPS CQM |
| 493 | Adult Immunization Status | MIPS CQM |
| 497 | Preventive Care and Wellness (composite) | MIPS CQM |
| 498 | Connection to Community Service Provider | MIPS CQM |
| 499 | Appropriate screening and plan of care for elevated intraocular pressure following intravitreal or periocular steroid therapy | MIPS CQM |
| AAD15 | Psoriasis – Appropriate Assessment & Treatment of Severe Psoriasis | QCDR Measure |
| AAD8 | Chronic Skin Conditions: Patient Reported Quality-of-Life | QCDR Measure |
| AA021 | Otitis Media with Effusion (OME): Comprehensive Audiometric Evaluation for Chronic OME > or = 3 months | QCDR Measure |
| AA036 | Tympanostomy Tubes: Resolution of Otitis Media with Effusion (OME) in Adults and Children | QCDR Measure |
| AA037 | Dysphonia: Laryngeal Examination | QCDR Measure |
| AA039 | Neck Mass Evaluation | QCDR Measure |
| ACEP53 | Appropriate Use of Imaging for Recurrent Renal Colic | QCDR Measure |
| ACEP63 | Avoidance of Acute High-Risk Prescriptions in geriatric patients at discharge | QCDR Measure |
| ACEP64 | Avoidance of admission for adult patients in Emergency Department with low-risk Deep Vein Thrombosis (DVT). | QCDR Measure |
| ACEP65 | Appropriate Utilization of Imaging in Raa (ruptured Abdominal Aortic Aneurysm) patients in Emergency Department | QCDR Measure |
| ACEP66 | Co-testing for HIV in high-risk patients in Emergency Department who are being tested for other sexually transmitted infections (STI) (Gonorrhea, Chlamydia, Syphilis or Trichomonas). | QCDR Measure |
| GIQIC26 | Screening Colonoscopy Adenoma Detection Rate | QCDR Measure |
| IRIS39 | Intraocular Pressure Reduction Following Trabeculectomy or an Aqueous Shunt Procedure | QCDR Measure |
| IRIS61 | Visual Acuity Improvement Following Cataract Surgery and Minimally Invasive Glaucoma Surgery | QCDR Measure |
| IRIS62 | Regaining Vision After Cataract Surgery | QCDR Measure |
| MSK1 | Patients Suffering from a Neck Injury who Improve Physical Function | QCDR Measure |

| | | |
|---------------------|--|--------------|
| MSK10 | Patients Suffering From a Knee Injury who Improve Pain | QCDR Measure |
| MSK2 | Patients Suffering From an Upper Extremity Injury who Improve Physical Function | QCDR Measure |
| MSK3 | Patients Suffering From a Back Injury who Improve Physical Function | QCDR Measure |
| MSK4 | Patients Suffering From a Lower Extremity Injury who Improve Physical Function | QCDR Measure |
| MSK5 | Patients Suffering From a Knee Injury who Improve Physical Function | QCDR Measure |
| MSK6 | Patients Suffering From a Neck Injury who Improve Pain | QCDR Measure |
| MSK7 | Patients Suffering From an Upper Extremity Injury who Improve Pain | QCDR Measure |
| MSK8 | Patients Suffering From a Back Injury who Improve Pain | QCDR Measure |
| MSK9 | Patients Suffering From a Lower Extremity Injury who Improve Pain | QCDR Measure |
| MUSIC4 | Prostate Cancer: Active Surveillance/Watchful Waiting for Newly Diagnosed Low Risk Prostate Cancer Patients | QCDR Measure |
| PIMSH15 | Antiemetic Therapy for Low- and Minimal-Emetic-Risk Antineoplastic Agents in the Infusion Center - Avoidance of Overuse (Lower Score - Better) | QCDR Measure |
| PIMSH16 | Appropriate Antiemetic Therapy for High- and Moderate-Emetic-Risk Antineoplastic Agents in the Infusion Center | QCDR Measure |
| QMM28 | Reporting Breast Arterial Calcification (BAC) on Screening Mammography | QCDR Measure |
| 005 | Heart Failure (HF): Angiotensin-Converting Enzyme (ACE) Inhibitor or Angiotensin Receptor Blocker (ARB) or Angiotensin Receptor-Nepriylsin Inhibitor (ARNI) Therapy for Left Ventricular Systolic Dysfunction (LVSD) | eCQM |
| 134 | Preventive Care and Screening: Screening for Depression and Follow-Up Plan | eCQM |
| 236 | Controlling High Blood Pressure | eCQM |
| 239 | Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents | eCQM |
| 281 | Dementia: Cognitive Assessment | eCQM |
| 366 | Follow-Up Care for Children Prescribed ADHD Medication (ADD) | eCQM |
| 377 | Functional Status Assessments for Heart Failure | eCQM |
| 438 | Statin Therapy for the Prevention and Treatment of Cardiovascular Disease | eCQM |

Newly benchmarked measures — Partial (5-9 deciles)


| Measure ID | Measure title | Collection type | Decile count |
|---------------------|--|-----------------|--------------|
| 052 | Chronic Obstructive Pulmonary Disease (COPD): Spirometry Evaluation for Long-Acting Inhaled Bronchodilator Therapy | MIPS CQM | 7 |
| 145 | Radiology: Exposure Dose Indices Reported for Procedures Using Fluoroscopy | MIPS CQM | 5 |

| | | | |
|------------------------|---|------------------------|---|
| 277 | Sleep Apnea: Severity Assessment at Initial Diagnosis | MIPS CQM | 7 |
| 326 | Atrial Fibrillation and Atrial Flutter: Chronic Anticoagulation Therapy | MIPS CQM | 5 |
| 374 | Closing the Referral Loop: Receipt of Specialist Report | MIPS CQM | 5 |
| 431 | Preventive Care and Screening: Unhealthy Alcohol Use: Screening & Brief Counseling | MIPS CQM | 8 |
| 487 | Screening for Social Drivers of Health | MIPS CQM | 9 |
| 489 | Adult Kidney Disease: Angiotensin Converting Enzyme (ACE) Inhibitor or Angiotensin Receptor Blocker (ARB) Therapy | MIPS CQM | 6 |
| 491 | Mismatch Repair (MMR) or Microsatellite Instability (MSI) Biomarker Testing Status in Colorectal Carcinoma, Endometrial, Gastroesophageal, or Small Bowel Carcinoma | MIPS CQM | 7 |
| 500 | Acute posterior vitreous detachment appropriate examination and follow-up | MIPS CQM | 8 |
| 145 | Radiology: Exposure Dose Indices Reported for Procedures Using Fluoroscopy | Medicare Part B Claims | 5 |
| AAD16 | Avoidance of Post-operative Systemic Antibiotics for Office-based Closures and Reconstruction After Skin Cancer Procedures | QCDR Measure | 7 |
| AAD19 | Psoriasis – Shared Decision Making in the Treatment of Psoriasis | QCDR Measure | 7 |
| ABG44 | Low Flow Inhalational General Anesthesia | QCDR Measure | 9 |
| CAP40 | Squamous Cell Skin Cancer: Complete Reporting | QCDR Measure | 5 |
| CAP41 | Basal Cell Skin Cancer: Complete Reporting | QCDR Measure | 6 |
| ECPR55 | Avoidance of Long-Acting (LA) or Extended-Release (ER) Opiate Prescriptions and Opiate Prescriptions for Greater Than 3 Days Duration for Acute Pain | QCDR Measure | 9 |
| HCPR24 | Appropriate Utilization of Vancomycin for Cellulitis | QCDR Measure | 8 |
| QMM17 | Appropriate Follow-up Recommendations for Ovarian-Adnexal Lesions using the Ovarian-Adnexal Reporting and Data System (O-RADS) | QCDR Measure | 8 |
| QMM23 | Low dose cancer screening recommendation for computed tomography (CT) and computed tomography angiography (CTA) of chest with diagnosis of Emphysema. | QCDR Measure | 6 |
| QMM24 | Acute Rib Fracture Numbering on ED Trauma Patients | QCDR Measure | 5 |
| QMM26 | Screening Abdominal Aortic Aneurysm Reporting with Recommendations | QCDR Measure | 6 |
| QMM27 | Appropriate Classification and Follow-up Imaging for Incidental Pancreatic Cysts | QCDR Measure | 5 |
| 238 | Use of High-Risk Medications in Older Adults | eCQM | 8 |

Newly benchmarked measures — Limited (<5 deciles; need 100% to achieve 10 points)

| Measure ID | Measure title | Collection type | Decile count |
|------------|---------------|-----------------|--------------|
|------------|---------------|-----------------|--------------|

| | | | |
|---------------------|---|------------------------|---|
| 238 | Use of High-Risk Medications in Older Adults | MIPS CQM | 3 |
| 443 | Non-Recommended Cervical Cancer Screening in Adolescent Females | MIPS CQM | 4 |
| 024 | Communication with the Physician or Other Clinician Managing On-Going Care Post-Fracture for Men and Women Aged 50 Years and Older | Medicare Part B Claims | 1 |
| AAD17 | Continuation of Anticoagulation Therapy in the Office-based Setting for Closure and Reconstruction After Skin Cancer Resection Procedures | QCDR Measure | 2 |
| AAD18 | Avoidance of Opioid Prescriptions for Closure and Reconstruction After Skin Cancer Resection | QCDR Measure | 2 |
| AA032 | Standard Benign Positional Paroxysmal Vertigo (BPPV) Management | QCDR Measure | 1 |
| ACR16 | Rheumatoid Arthritis Patients with Low Disease Activity or Remission | QCDR Measure | 2 |

 [Contact us today](#) to learn how we can help your organization prepare.